


CANADA 2290 Industrial Street Burlington, Ontario L7P 1A1 Depew, NY 14043, USA

USA 4392 Broadway

888.842.5668 905.335.5523 rpmrubberparts.com

J-4624-14

in Flex-Bolt® Sandwich Mounts (UNC Thread) Type 1





Flex-Bolt® Sandwich Mounts are Manufactured by LORD Corporation.

- Economical. ٠
- Compact and lightweight. ٠
- Easy to install. •
- Maintenance-free. ۰
- Three size groups: small, medium and large. ٠

The Deter sense in the set of the

Flex-Bolt® Sandwich Mounts are designed to protect equipment, machinery and sensitive components against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance free.

If you don't see the size you need, contact us - we can help.

Specifications

COMPRESSION STATIC LOAD (LBS)	64
COMPRESSION STATIC LOAD (N)	285
COMPRESSION - SPRING RATE KC (LBS/IN)	620
COMPRESSION - SPRING RATE KC (N/MM)	109
SHEAR STATIC LOAD (LBS)	12
SHEAR STATIC LOAD (N)	53
SHEAR - SPRING RATE KS (LBS/IN)	105
SHEAR - SPRING RATE KS (N/MM)	18
A (IN)	1
B (IN)	1/2
C (IN)	0.75
D (IN)	0.5
THREAD SIZE	1/4-20 UNC
DUROMETER	43
ELASTOMER	Oil Resistant Elastomer - Neoprene
THREAD TYPE	Standard UNC
PRODUCT TYPE	Mounts

GRADE PER SAE J429	1