
## SMB006-0100-4

in Flex-Bolt® Sandwich Mounts (UNC Thread) Type 1





Flex-Bolt® Sandwich Mounts are Manufactured by LORD Corporation.

- Economical.
- Compact and lightweight.
- Easy to install.
- Maintenance-free.
- Three size groups: small, medium and large.

THE BOILD CONTACT PROGRESS OF PROPERTIES BY ECTED CORPORATION.

Flex-Bolt® Sandwich Mounts are designed to protect equipment, machinery and sensitive components against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance free.

If you don't see the size you need, contact us - we can help.

## Specifications

COMPRESSION STATIC LOAD (LBS)	60
COMPRESSION STATIC LOAD (N)	267
COMPRESSION - SPRING RATE KC (LBS/IN)	540
COMPRESSION - SPRING RATE KC (N/MM)	95
SHEAR STATIC LOAD (LBS)	9
SHEAR STATIC LOAD (N)	40
SHEAR - SPRING RATE KS (LBS/IN)	105
SHEAR - SPRING RATE KS (N/MM)	18
A (IN)	0.62
B (IN)	1/2
C (IN)	0.62
D (IN)	0.5
THREAD SIZE	1/4-20 UNC
DUROMETER	56
ELASTOMER	Natural Rubber
THREAD TYPE	Standard UNC
PRODUCT TYPE	Mounts

GRADE PER SAE J429	1