

# VMD-1015D

in Sandwich Mounts (Metric Thread) Type 3



## Vibration Bumper Foot

- Economical.
- Compact and lightweight.
- Easy to install.
- Maintenance-free.

RPM Rubber Flex Bobbin Sandwich Mounts are designed to protect equipment and machinery against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load-carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance-free.

Typical applications for Rubber Flex Bobbin Sandwich Mounts include business machines, motorcycles, heating, ventilating and air conditioning equipment, light motors, appliances, shipping containers, feeders, compactors and vibratory rollers.

## Specifications

COMPRESSION STATIC LOAD (LBS)	7086
COMPRESSION STATIC LOAD (N)	31526
COMPRESSION - SPRING RATE KC (LBS/IN)	3380
COMPRESSION - SPRING RATE KC (N/MM)	19107
A (IN)	4
C (IN)	0.59
D (IN)	1.77
THREAD SIZE	M16
DUROMETER	57
ELASTOMER	Natural Rubber
THREAD TYPE	Metric
PRODUCT TYPE	
MANUFACTURER	RPM Mechanical Inc
TYPE	3
GRADE PER SAE J429	1

