


VMD-4030N

in Sandwich Mounts (Metric Thread) Type 3



Vibration Bumper Foot

- Economical.
- Compact and lightweight.
- Easy to install.
- Maintenance-free.

RPM Rubber Flex Bobbin Sandwich Mounts are designed to protect equipment and machinery against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load-carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance-free.

Typical applications for Rubber Flex Bobbin Sandwich Mounts include business machines, motorcycles, heating, ventilating and air conditioning equipment, light motors, appliances, shipping containers, feeders, compactors and vibratory rollers.

Specifications

| | |
|---------------------------------------|--------------------|
| COMPRESSION STATIC LOAD (LBS) | 108 |
| COMPRESSION STATIC LOAD (N) | 479 |
| COMPRESSION - SPRING RATE KC (LBS/IN) | 20 |
| COMPRESSION - SPRING RATE KC (N/MM) | 114 |
| A (IN) | 1.57 |
| C (IN) | 1.18 |
| D (IN) | 0.91 |
| THREAD SIZE | M8 |
| DUROMETER | 43 |
| ELASTOMER | Natural Rubber |
| THREAD TYPE | Metric |
| PRODUCT TYPE | |
| MANUFACTURER | RPM Mechanical Inc |
| TYPE | 3 |
| GRADE PER SAE J429 | 1 |

