
VMD-7055N

in Sandwich Mounts (Metric Thread) Type 3





Vibration Bumper Foot

- Economical.
- Compact and lightweight.
- Easy to install.
- Maintenance-free.

RPM Rubber Flex Bobbin Sandwich Mounts are designed to protect equipment and machinery against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load-carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance-free.

Typical applications for Rubber Flex Bobbin Sandwich Mounts include business machines, motorcycles, heating, ventilating and air conditioning equipment, light motors, appliances, shipping containers, feeders, compactors and vibratory rollers.

Specifications

COMPRESSION STATIC LOAD (LBS)	322	
COMPRESSION STATIC LOAD (N)	1433	
COMPRESSION - SPRING RATE KC (LBS/IN)	33	
COMPRESSION - SPRING RATE KC (N/MM)	184	
A (IN)	2 3/4	
C (IN)	2.15	
D (IN)	1.18	
THREAD SIZE	M10	
DUROMETER	43	
ELASTOMER	Natural Rubber	
THREAD TYPE	Metric	
PRODUCT TYPE		
MANUFACTURER	RPM Mechanical Inc	
TYPE	3	
GRADE PER SAE J429	1	